

Ohio Pipeline Standard and Construction Specifications

December 28, 2015

PURPOSE

This document provides measures intended to limit the impact of construction of a pipeline on agricultural productivity or on other lands where it is important to maintain the natural soil and drainage attributes.

It has been developed by the Ohio Department of Agriculture, Division of Soil and Water Conservation as a recommendation of what is considered best practice for the protection of Ohio's soil and water resources during pipeline installation.

These practices are not to be considered as mandatory requirements unless cited by other laws, rules or legal agreements. Users are encouraged to use them as guidance for development of plans, on-site practices and implementation or for remediating problem areas.

AUTHORITY

Ohio Revised Code section 939.02 charges the Director of the Ohio Department of Agriculture with the responsibility to "cooperate with other agencies and subdivisions of the state to protect the agricultural status of rural lands adjacent to such projects and control adverse impacts on soil and water resources." These "such projects" include "projects involving highways, underground cables, pipelines, railroads and other improvements affecting soil and water resources, including surface and subsurface drainage."

CONTACT INFORMATION

Ohio Department of Agriculture
Division of Soil and Water Conservation
8995 East Main Street
Reynoldsburg, OH 43068
614-265-6610
Email: dswc@agri.ohio.gov

CONTENTS

I. Definition of Terms	1
II. Planning Phase	2
A. Construction Plans & Maps	2
B. Sensitive Agricultural Soils.....	2
C. Other Features.....	3
D. Point of Contact During Construction	3
III. Construction Specifications	4
A Ingress and Egress Routes	4
B. Temporary Roads	4
C. Clearing of Brush and Trees in the Right-of-Way	4
D. Soil Removal and Protection	5
E. Depth of Cover.....	6
F. Rock Removal (Shallow Soils)	7
G. Repair of Damaged and Adversely Affected Subsurface Drains.....	7
H. Slope Breakers.....	14
I. Return to Pre-construction Contours	14
J. Construction Debris, Erosion, Sediment and other Pollution Control Practices & Restoration of Right-of-Way	14
K. Installation of Additional Drainage Lines.....	15
L. Repair of Damaged Soil Conservation Practices	15
M. Control of Trench Washouts, Water Pipeing and Blowouts.....	15
N. Pumping of Water from Open Trenches	17
O. Compaction, Rutting, Fertilization, Limeing, Seeding (Temporary and Permanent) and Mulching	17
P. Backfill Profile and Trench Crowning.....	18
Q. Fencing.....	19
R. Pipeline Markers.....	19
S. Reinforced Crossings.....	19
IV. Monitoring and Remediation	20
V. Dispute Resolution	21

I. Definition of Terms

Agricultural Land - Land which is presently under cultivation; land which has been previously cultivated and not subsequently developed for non-agricultural use; and cleared land which is capable of being cultivated. It includes land used for cropland, hayland, improved pastureland, managed woodlands, truck gardens, farmsteads, commercial agricultural related facilities, feedlots, livestock confinement systems, land on which farm buildings are located, and land in government set-aside programs.

Best Management Practice - Any structural, vegetative or managerial practice (BMP) used to treat, prevent or reduce soil erosion or to capture pollutants such as sediment. Such practices may include temporary seeding of exposed soils, construction of retention basins for storm water control and scheduling the implementation of all BMP's to maximize their effectiveness.

Cropland - Land used for growing row crops, small grains, or hay; includes land that was formerly used as cropland but is currently in a government set-aside program, and pasture land formerly used as cropland.

Inspector – A person qualified by education and experience for the purpose of evaluating pipeline construction in relation to soils removal and replacement, drainage repairs, corridor restoration and other items identified in this standard. This person is sometimes retained by the pipeline company for the above purposes, but may be a third party that is mutually agreed upon by the landowner and the pipeline company.

Landowner - Person(s) holding legal title to property on the pipeline route from whom the pipeline company is seeking, or has obtained, a temporary or permanent easement.

Landowner's Designate - Any person(s) legally authorized by a landowner to make decisions regarding the mitigation or restoration of agricultural impacts to such landowner's property.

Non-Agricultural Land - Any land that is not "Agricultural Land" as defined above.

Pipeline - The pipeline and its related appurtenances.

Pipeline Company - The entity responsible for installing the pipeline, its successors, and assigns, on its own behalf and as operator of the company.

Right-of-Way - Includes the permanent and temporary easements that the pipeline company acquires for the purpose of constructing and operating the pipeline.

Slope Breaker - A ridge or channel constructed diagonally across a utility right-of-way or a road (water bar) that is subject to erosion.

Subsoil - Subsoil is defined as the soil material that starts at the bottom of the topsoil to a depth of three feet. Exceptions to this are soils where fractured bedrock or hard bedrock is encountered before three feet.

Subsurface Drain or Drainage - Any artificial system of pipes or conduits designed to intercept, collect, and convey excess soil moisture to a suitable outlet. These may include: clay and concrete tile, vitrified sewer tile, corrugated plastic tubing, and stone drains.

Surface Drains - Any surface drainage system such as shallow surface field drains, grassed waterways, open ditches, or any other conveyance of surface water.

Tenant - Any person lawfully residing on or in possession of the land.

Topsoil - The upper most part of the soil commonly referred to as the plow layer, the A layer, or the A horizon, or its equivalent in uncultivated soils. It is the surface layer of the soil that has the darkest color or the highest content of organic matter (as Identified in the USDA Soil Survey and verified w/ right-of-way samples). Topsoil is described as all surface and near surface soil horizons (layers) that have a moist Munsell color value of 4 and chroma of 3 or darker and a clay content increase of 10% or less between the individual horizons. On agricultural land at least the top eight inches will be considered topsoil. Horizons with up to a twenty-five percent mixing of the subsoil into the topsoil by agricultural processes will still be considered topsoil.

In areas demonstrating substantial soil erosion, topsoil colors may be lighter than a moist Munsell color value of 4 and chroma 3. In these areas the top 8 inches will be considered topsoil.

Surface horizons with a moist Munsell color value of 4 and chroma of 3 or darker in forested areas that have not been plowed are typically thinner. In these areas the top six inches will be considered topsoil.

In areas where the above conditions do not apply, the top eight inches will be considered topsoil on agricultural land and the top six inches will be considered topsoil on forested land that has not been plowed.

Trench Breaker - Trench breakers (also known as trench plugs) are barriers placed within an open pipeline excavation in order to slow flow and reduce erosion in the trench and also to prevent the trench from becoming a subsurface drainage path.

II. Planning Phase

A. Construction Plans and Maps

The pipeline company shall provide the landowner general construction plan maps with the following information concerning agricultural areas/uses:

1. Pasture/Grazing areas including unimproved grazing areas (brushy or wooded land used by livestock), permanent open pasture (land devoted only to pasture use, not suited to tillage rotation), improved pasture (including tillable rotation pasture/hayland), and livestock fence lines.
2. Cropland areas including hayland, rotation cropland, long-term cropland and agricultural lands enrolled in either the annual set-aside or the Conservation Reserve Program (CRP) of the U.S.D.A. Consolidated Farm Service Agency. Such lands will be identified through consultation with the offices of the Consolidated Farm Service Agency and the Soil and Water Conservation District.
3. Unique Agricultural Lands, which include specialty cropland (vegetables, berries, etc.), orchards, vineyards, maple sugarbushes, organic mucklands, and permanent irrigation systems.

The areas mentioned above will be identified with the help of the Soil and Water Conservation Districts.

B. Sensitive Agricultural Soils

Sensitive agricultural soils are defined as areas of cropland, hayland, or pasture that are more susceptible than other agricultural soils to construction disturbance due to slope, relative soil wetness, and/or shallowness to bedrock. Wetness conditions are the result of factors such as landscape position, soil texture, seasonal water table and/or slowly permeable subsoil horizons (e.g., areas of laterally draining subsoils). All sensitive agricultural soils including, but not limited to, those identified in the soil survey as fragipans, lacustrine soils, dense basal tills, soils with a seasonally high water table, or soils

with less than 5 feet of depth to bedrock are to be located and identified on the project map using the following codes:

1. "SE" - designates the general area of soils sensitive to erosion due to R-O-W factor(s) of slope and/or the texture of exposed soil.
2. "SW" - designates the general area of soils susceptible to soil horizon wetness as described above.
3. "SR" - designates the general area of soils susceptible to shallow depth to bedrock.
4. "SO" - designates the location of unavoidable organic mucklands.

C. Other Features

In addition, the pipeline company shall note the following information on the general construction plan maps or on the construction alignment sheets.

1. Other land and water management features including subsurface drainage areas (where they can be identified prior to construction), open ditches, diversions, diversion terraces, buried utility lines (for farmstead consumptive use), water sources (developed springs, etc.), grassed waterways, water impoundment structures (dams and ponds) and unnamed water flows.
2. Depth of cover if it varies from those listed in the Construction Specifications.
3. Any off right-of-way access roads and work or storage areas. Map all such areas identified at the time of the construction plan submission, indicating their proposed locations. Any other areas that may be identified during construction will be considered and filed as a change in the construction plans.
4. The planned location of any compressor stations, valve stations, metering and regulating stations and any other proposed facilities including pipeline markers.
5. Locations for best management practices for control of erosion, sediment and trench water. Plans should note relevant sizes, grade, capacities and materials of practices. Trench breakers and slope breakers (permanent and temporary) shall be provided on the plan and during construction. See Figure 11 through 13 for more information regarding trench and slope breakers. Plans shall include notations of the distance between breakers based on percent of slope, or appended charts of breaker spacing by percent of slope.
6. General locations for subsurface intercept drains to control soil saturation and/or aid trench breakers in minimizing water piping, based on the sensitive agricultural soils data (see Section B) and site monitoring. Such locations will generally coincide with "SE" sensitive agricultural soils and breaks in slopes.

D. Point of Contact during Construction

Prior to the construction of the pipeline, the pipeline company shall provide to each landowner, landowner's designate and/or tenant: the name, telephone number and mailing address of the pipeline company representative assigned to that geographic area and responsible for the liaison activities on behalf of the pipeline company. This pipeline company representative shall be the contact person both during construction and operational related activities. The pipeline company shall respond promptly to any landowner and/or tenant issues or concerns both during construction and long-term operational activities.

III. Construction Specifications

A. Ingress and Egress Routes

Prior to the pipeline installation, the pipeline company and the landowner shall reach a mutually acceptable agreement on the route that will be utilized for entering and leaving the pipeline right-of-way, should access to the right-of-way not be practical or feasible from adjacent segments of the pipeline right-of-way or from public highway or railroad right-of-ways.

Where access road access ramps/pads are required from the highway to the pipeline construction area, the topsoil shall be removed and stockpiled for replacement, an underlayment of durable geotextile matting shall be placed over the exposed subsoil surface prior to the placement of temporary rock access fill material (see earlier materials regarding access road entrances and Figure 1 below). All such material will be removed upon completion of the project. The use of durable geotextile matting as an underlayment helps prevent rock and stone from becoming embedded in the subsoil material. Complete removal of the ramp upon completion of the project and restoration of the impacted site is required prior to topsoil replacement.

B. Temporary Roads

The location of temporary roads to be used for construction purposes will be negotiated with the landowner and the tenant. The temporary roads will be designed to not impede proper drainage and will be built to minimize soil erosion on or near the temporary roads. Every attempt will be made to use existing farm lanes for access and to repair damages to the existing lanes.

Upon construction completion, temporary roads may be left intact through mutual agreement of the landowner, the tenant and the pipeline company unless otherwise restricted by federal, state or local regulations. If the temporary roads are to be removed, the right-of-way upon which the temporary roads are constructed will be returned to its previous use and restored to a condition equivalent to that existing prior to their construction.

C. Clearing of Brush and Trees in the Right-of-Way

Unless otherwise restricted by federal, state or local regulations, the pipeline company shall follow the landowner's desires as stated in the easement agreement regarding the disposal of trees, brush and stumps of no value to the landowner by lawful burning, burial, chipping, etc., or complete removal from any affected property.

The pipeline company shall identify black cherry (or other trees toxic to livestock) located on the right-of-way near active livestock use areas during the construction plan development. Black cherry tree vegetation is toxic to livestock when wilted and shall not be stockpiled in areas accessible to livestock. During the clearing phase, such vegetation will be disposed of in a manner that prevents contact with livestock.




Figure 1 Access road entrance.

Unless otherwise restricted by federal, state or local regulations, the pipeline company shall follow the landowner's or landowner designee's desires as stated in the easement agreement regarding the removal of tree stumps that the pipeline company might otherwise leave in the ground.

The Ohio State University Extension Bulletin 619, BMPs for Erosion Control for Logging Practices in Ohio, may be utilized as a guidance document for clearing and logging activities that occur prior to and during the pipeline installation process. The most restrictive requirements found in this or the other Ohio specifications and standards referenced under section V. J. shall be followed. Application of Silvicultural BMPs allows logging and silvicultural operations to comply with Ohio Agricultural and Silvicultural Pollution Abatement Law.

D. Soil Removal and Protection

1. Topsoil and subsequent horizons shall be determined by a properly qualified inspector, soil scientist or soil technician who will set stakes or flags every 200 feet along the right-of-way identifying the depth of topsoil to be removed. Topsoil will be stripped to the actual depth of the topsoil, not to exceed 16 inches along the construction right-of-way and other areas where construction activities warrant (e.g. staging areas), including land that is currently forested. Full right-of-way topsoil stripping will avoid issues such as topsoil mixing from deep rutting and topsoil compaction. Topsoil may not be intermixed with subsoil materials. Topsoil will be stored in a windrow parallel to the pipeline trench in such a manner that it will not become intermixed with subsoil materials. In forested areas where clearing activities are necessary, minimal amounts of topsoil mixing may occur.
2. Topsoil shall be removed following clearing and prior to any activity by any equipment or delivery trucks. During the clearing/grading phase, the inspector shall monitor site-specific depths of topsoil stripping. Topsoil shall be removed from the full width of the right-of-way and stockpiled along either edge and on the right-of-way. (See Figure 2.) Where right-of-way construction requires cut-and-fill of the soil profile across grades, to the extent practicable, topsoil stockpiling will be located on the up slope edge of the right-of-way (see Figure 3). Where topsoil cannot be separately stored on the up slope side, suitable right-of-way space will be provided on the down slope side to ensure the complete segregation of the topsoil from all cut-and-fill material.
3. All subsoil material that is removed from the trench will be placed in a second windrow parallel to the pipeline trench that is separate from the topsoil windrow. If any soil horizon or section of the soil profile has a significant increase in the concentration of rock, that soil shall be separated in order to be placed back at pre-existing contours. In no case shall the concentration of rock be increased in any section of the profile.
4. The soil below the subsoil (substratum) will be placed in a third windrow parallel to the pipeline trench that is separate from the topsoil and subsoil windrows.




Figure 2 Topsoil and other soil segregation.

5. In backfilling the trench, the stockpiled substratum material will be placed back into the trench before replacing the subsoil and topsoil.
6. Refer to Item F of these construction specifications for procedures pertaining to rock removal from the subsoil and topsoil.
7. Refer to Item O for procedures pertaining to the alleviation of compaction of the topsoil.
8. The topsoil must be replaced so that after settling occurs, the topsoil's original depth and contour will be restored. The same shall apply where excavations are made for road, stream, drainage ditch, or other crossings. In no instance will the topsoil materials be used for any other purpose or removed from the right of way.
9. Surface drainage should not be blocked or hindered in any way. If excess spoil is produced, it will be removed offsite to prevent ridging. Adding additional spoil to the crown over the trench in excess of that required for settlement will not be permitted.




Figure 3 Topsoil stockpiling on slopes. (NY State Dept. of Agriculture & Markets Pipeline Drawings).

E. Depth of Cover

1. Except for above-ground piping appurtenances, such as mainline block valves, tap valves, meter stations, etc., and except as otherwise stated in the Agreement, the pipeline will be buried as follows:
 - a) On cropland, pastureland or other agricultural land provide a minimum of 60 inches of cover.
 - b) On wooded or brushy land that is not suitable for cropland provide a minimum of 36 inches of cover.
 - c) A minimum of 60 inches of cover shall be maintained over the top of the pipeline where it crosses surface drains, diversions, grassed waterways, open ditches, and streams.
2. In those areas where rock in its natural formation is encountered, the minimum depth of cover will be 36 inches.
3. On agricultural land subject to erosion, the company is responsible for inspecting the pipeline right-of-way on a reasonably frequent basis in order to detect areas of erosion to the cover so that no cover will be less than 3 feet at any time.
4. A minimum of 12 inches of separation shall be maintained between the pipeline and drainage lines unless adequate measures are taken to protect the present and future integrity of the

pipeline and the subsurface drain.

F. Rock Removal (Shallow Soils)

The cover within the pipeline trench, bore pits, or other excavations shall not be backfilled with soil containing rocks of any greater concentration or size than existed prior to the pipeline construction. The following rock removal procedures only pertain to rocks found in the topsoil, subsoil, and substratum.

1. Before replacing any topsoil, all rocks greater than 3 inches in any dimension will be removed from the surface of all exposed subsoil (i.e. work area and subsoil storage areas). All material placed above the pipe shall not contain rocks of any greater concentration or size than existed prior to the pipeline construction.
2. All rocks greater than 3 inches in any dimension will be removed from the topsoil surface using a rock rake following final restoration unless undisturbed areas adjacent to the ROW can be shown to contain similar concentration and size.
3. If trenching, blasting, or boring operations are required through rocky terrain, suitable precautions will be taken to minimize the potential for oversized rocks to become interspersed with adjacent soil material. Landowners/operators and adjacent landowners will be given timely notice prior to blasting.
4. Rocks and soil containing rocks removed from the subsoil areas, topsoil, or from any excavations will be returned to the pre-existing soil horizon levels, hauled off the landowner's premises or disposed of on the landowner's premises at a location that is mutually acceptable to the landowner and the company and in accordance with any applicable laws or regulations.

G. Repair of Damaged and Adversely Affected Subsurface Drains

The pipeline company shall be responsible for correcting and repairing all subsurface drains that fall on the permanent and construction right-of-way to their original operating conditions. To prevent damaging repaired drains, permanent repairs to the subsurface drains are recommended after regular construction traffic has ceased and the right-of-way or temporary access area has been restored.

Damaged or severed subsurface drains shall be temporarily re-connected before or during backfilling in order to maintain drainage. This shall be completed as soon as practicable, and the repair shall be maintained in good condition to allow for its proper function during the remainder of pipeline construction.

The following standards and policies shall apply to the permanent subsurface drain repair:

1. The pipeline company shall make all effort to locate all subsurface drains within the right-of-way prior to the pipeline installation. The pipeline company shall contact the local Soil and Water Conservation Districts and affected landowners/tenants for their knowledge of subsurface drain locations prior to the pipeline installation. All identified subsurface drains will be marked with highly visible flags or stakes to alert construction crews to the need for subsurface drain repairs.
2. Prior to the pipeline installation, plans for the repair of damaged subsurface drains shall be approved by the landowner, or the landowner's designate. These plans may include individual subsurface drain replacement or reconfiguration of the subsurface drainage system to include new intercepting drains (Figures 7 and 8) or new intercepting submains parallel to the pipeline (see Figure 9). Technical assistance regarding plan development may be available from the local

SWCD.

- a. Severed tile shall be temporarily repaired as soon as possible to restore drainage. It is recommended that actively flowing tile immediately be repaired (temporary) to limit the addition of excess water to the pipeline trench and backfill.
 - b. Animal guards, filters or caps meeting industry standards shall be placed on the open ends of any exposed subsurface drains to prevent the entry of soil, burrowing animals or foreign materials from entering and blocking the drainage system.
3. Before completing permanent repairs, all subsurface drains shall be examined by suitable means on both sides of the trench for their entire length within the right-of-way to check if additional damage or blockage beyond the trench width has occurred. Inspection with a Closed-Circuit TV Camera is recommended (see figure 4). If a subsurface drain is found to be damaged or blocked within the easement, it shall be repaired to the condition prior to pipeline construction.




Figure 4 Subsurface drainage damaged during pipeline work must be inspected and repaired.


4. The pipeline company shall document the location and known elevations of all subsurface drains that are found and/or repaired and provide a photo or description of the repair to the landowner, or the landowner's designate. The description should include a map, drawing or electronic database (CAD, GIS etc.) with the GPS latitude and longitude of drain lines encountered and repaired. This information shall also be provided to the local Soil and Water Conservation District for record keeping.
5. All subsurface drains shall be repaired or replaced with materials of equal or higher quality and of equal or larger inside diameter as those which were damaged or removed.
6. The subsurface drain repair shall maintain the original alignment, gradient and water flow to the greatest extent possible. In no instance shall the grade or slope of the repaired or replaced subsurface drain be decreased from the original.
7. Replacement drain tubing shall be permanently connected to existing drain tubing with slip coupling or other connectors that meet industry standards to ensure a proper seal.

SPECIFICATIONS FOR IN-PLACE REPAIR OF SEVERED SMALL DIAMETER DRAINS

8. Where subsurface drains severed by the pipeline trench are replaced, sufficient measures shall be taken to fully restore drainage. The repair shall be made as to prevent separation or sagging of drain tubing due to the unconsolidated trench backfill. The following methods (see Figures 5 through 6) shall be considered adequate support for drains equal to or less than 10 inch in diameter and trench spans less than 14 feet. All other support systems shall be designed by a Registered Professional Engineer.
 - a. Corrugated plastic drain tubing shall be provided with rigid support of angle iron, channel iron, full-round steel pipe, half-round steel pipe, or a schedule 40 (or 80) PVC pipe or dual wall PE pipe 2 inches larger than the drain diameter. (Full round pipe shall be provided sufficient slots or holes for venting to prevent floatation.) The rigid support shall span the trench width and extend on both ends a minimum of 3 feet onto undisturbed soil.
 - b. Lateral drains up to 6 inch in diameter may be replaced with schedule 40 or 80 PVC of the same diameter without additional rigid support along the replacement length provided the length of replacement can be made without use of a pipe joint (see Figures 5 through 9).
 - c. Clay or concrete tile shall be provided with a rigid support that extends to the first tile joint beyond the minimum 3-foot distance.
 - d. In all cases, a firm foundation for the subsurface drain shall be provided by backfilling the trench from the bottom of the pipeline to 1 foot above drain repair with coarse aggregate or soil compacted in lifts at proper moisture content. Alternate methods of vertical support including stacked sand bags, sacks of concrete, pre-fabricated piers or structural members may be used if approved by the landowner, or the landowner's designate.


SPECIFICATIONS FOR INTERCEPTING SUBMAINS

9. New submains shall meet USDA-NRCS Ohio Conservation Practice Standard 606. A plan for the submain shall be approved by the local Soil and Water Conservation District prior to construction.
10. The grade and diameter of the new submain shall carry the designed capacity of the existing subsurface drain system that flows into the submain. The design capacity shall be maintained to a free outlet or existing tile with sufficient capacity.



- Notes:
1. Perforated pipe shall be installed so that holes are facing down.
 2. Rigid support channel or pipe is shouldered back into the firm, undisturbed soil profile to ensure consistent gravity flow gradient of the drainage line across the trench as the backfill material gradually settles for up to two years.
 3. To prevent sagging, support shall be provided from bottom of the trench to 1 foot above drain repair, by backfilling with coarse aggregate or suitable alternatives (sand bags, compacted soil, or similar structural support approved by the landowner).


Figure 5 Repair of severed drainage.



Notes:


1. Extend support and replacement drainage line a minimum of 3 feet onto undisturbed earth on both sides of trench, measured perpendicular from the wall of the trench.
2. Provide rigid support for drain tile or plastic pipe to maintain function.
3. Should a drain cross a ditch at a skew of greater than 45 degrees, the replacement drain is to be relocated into undisturbed soil or out of conflict with the pipeline ditch. The replacement drain pipe is to be installed to match elevation of existing pipes.

Figure 6 Repair of severed drainage lines.




- Notes:
1. Trench breakers prevent gully erosion while the trench is open and help to inhibit water piping along the pipeline after backfilling.
 2. Intercept drains receive soil moisture draining naturally from the undisturbed soil profile into the disturbed backfill soil within the trench. The intercept drains help prevent saturated soil conditions along the pipeline.
 3. Agricultural cropland may require cross trench drainage or parallel drainage.

Figure 7 Intercept Drain Cross Trench: Interception of drainage crossing the pipeline trench.



- Note: Parallel drainage installation shall be approved for agricultural soil conditions where repair of existing cross drainage would be less effective. For example, in situations of:
1. Shallow bedrock.
 2. Interference by other utility lines.
 3. Closely spaced shallow drains and french drains where a header is needed.

Figure 8 Intercept Drain Parallel to Trench: Interception of drainage crossing the pipeline trench.



Note: To be determined by an agricultural specialist based on slope and drainage area in consultation with the local Soil and Water Conservation District.

Figure 9 A new submain may be needed to allow continued function of drainage systems.

H. Slope Breakers

Slope breakers are necessary to limit erosion on most rights of way, except in cultivated and residential areas. Slope breakers shall divert surface runoff to adjacent stable vegetated areas or to energy-dissipating devices. Water shall be released in a non-erosive manner.

Generally, slope breakers are installed immediately downslope of all trench breakers. The gradient (fall) for each slope breaker shall be two to four percent unless otherwise approved by state inspectors based on site conditions. Slope breakers shall be installed as specified on the construction drawings or with a maximum spacing as shown in Figure 10.




Figure 10 Slope breakers Plan view and profile illustrations and spacing spaced based on the percent slope.

I. Return to Pre-construction Contours

Once disturbed areas are stabilized and within 2 years of completion of pipeline construction, slope breakers, water bars, diversions and other similar grade stabilization structures shall be graded to original pre-construction contour elevations (unless negotiated to remain with the landowner).

J. Construction Debris, Erosion, Sediment and Other Pollution Control Practices and Restoration of Right-of-Way

Best management practices shall be applied on pipeline projects in a timely manner to capture sediments and other pollutants, to prevent erosion and the release of pollution and to prevent degrading water resources. Practices applied, including slope breakers (Figure 10) shall meet the specifications and standards published by the Ohio Department of Natural Resources, Division of Oil and Gas Resources, the Division of Soil and Water Resources, the USDA Natural Resources Conservation Service (Field Office Technical Guide) or other applicable standards.

All construction-related debris and material, including litter generated by the construction crews will be removed from the right-of-way.

Following the completion of the pipeline or any significant portion, the right-of-way will be restored to its original pre-construction elevation and contour. If uneven settling occurs or surface drainage problems develop as a result of the pipeline construction, the pipeline company will provide land leveling services within 45 days of being notified by the landowner. Delays due to poor weather and soil conditions may be permitted.

K. Installations of Additional Drainage Lines

The pipeline company shall be responsible for installing such additional drain and other drainage measures as are necessary to properly drain wet areas on the permanent and temporary right-of-ways caused by the construction and/or existence of the pipeline.


L. Repair of Damaged Soil Conservation Practices

All soil conservation practices (such as spring developments and pipelines, terraces, grassed waterways, water and sediment control basins, critical area seedings, etc.) damaged by the pipeline's construction will be restored to their pre-construction condition and approved by the landowner or local SWCD. For example, grassed waterways shall be graded to original dimensions and grades with erosion control matting installed.

Watering sources, such as spring developments, affected by pipeline construction, shall be replaced with an alternative supply of water within 24 hours of the watering source being disrupted unless the disruption has been negotiated with the landowner. An alternative supply of water shall be provided until the water source is fully functional at pre-construction flow rates.

M. Control of Trench Washouts, Water Piping and Blowouts

Trench breakers shall be installed for the dual purpose of preventing trench washouts during construction and abating water piping and blowouts subsequent to trench backfill. The distances between permanent trench breakers will be as described in plans and meet the spacing shown in Figure 11. Plans will record each installed trench breaker location, by map-referenced station-number.



Trench Breaker (also known as trench plugs) Spacing
(Adapted from the Pennsylvania State Standards)

Slope (%)	Spacing (feet)
0-5	Not Required except at stream or water body crossings
5 - 15	300
>15 – 30	200
>30	100

Notes:

1. Trench breakers are required upslope of all stream, river, or water-body crossings regardless of trench slope.
2. Depending on the specific conditions of slopes exceeding 40%, the spacing between trench breakers may continue diminishing as illustrated, or may cease once a spacing of 33 feet has been reached.
3. Trench breakers shall be sand bags or earth filled sacks (not topsoil), which are durable yet flexible and will conform to gradual shifting of pipeline and backfill, while serving their function, to impede the flow of subsurface water along the trench. Alternatively, cement filled bags or mortared stone may be used.
4. In agricultural lands, the top of trench breaker will not be closer than two feet from the restored surface.

Figure 12 Trench breakers (also known as trench plugs) should be placed in the trench before crossing water bodies and spaced in the trench based on the percent slope. These reduce trench erosion and trench water at the bottom of the slope. Illustration from New York Department of Agricultural Pipeline Standards.

N. Pumping Of Water from Open Trenches

No back filling shall be done in water filled trenches. All freestanding water shall be removed prior to any back filling.

In the event it becomes necessary to pump water from open trenches, the pipeline company shall pump the water in a manner that will avoid damaging adjacent agricultural land, crops, and/or pasture. Such damages include, but are not limited to: inundation of crops for more than 24 hours, sheet and rill erosion, discharge of sediment in ditches and other water courses, and the deposition of gravel in fields, pastures, and any water courses.

If it is impossible to avoid water-related damages as described above, the pipeline company will restore the land, pasture, watercourses, etc. to their pre-construction condition.

All pumping of water shall comply with existing drainage laws, local ordinances relating to such activities, and provisions of the Clean Water Act.

O. Compaction, Rutting, Fertilization, Liming, Seeding (Temporary and Permanent) and Mulching

1. In all agricultural sections of the right-of-way traversed by vehicles and construction equipment, where topsoil is stripped and prior to topsoil replacement, the subsoil shall be fractured by deep ripping to a depth of 16 inches below the surface of the subsoil with the appropriate industrial ripper. Note that some subsurface features (e.g. drain, other utilities) may warrant less depth. The ripper shall have maximum teeth spacing of 16 inches. The ripping shall be performed parallel to the pipeline and at 30 degrees to the pipeline. Following the ripping operation all stone and rock material three (3) inches and larger in size which has been lifted to the surface shall be collected and removed from the site for disposal.

Upon approval by the inspector of the subsoil decompaction and the stone removal, the topsoil temporarily removed for the period of construction shall then be replaced. The soil profile in the full width of the right-of-way shall be shattered to a depth not to exceed 16 inches with a heavy-duty sub-soiling tool having angled legs. Stone removal shall be completed, as necessary, to eliminate any additional rocks and stones brought to the surface as a result of the final subsoil shattering process.

2. The entire right-of-way will then be disked. Three passes will be made across any agricultural land that is ripped.
3. Ripping and disking will be done at a time when the soil is dry enough for normal tillage operations to occur on undisturbed farmland adjacent to the areas to be ripped.
4. All rutted and compacted land will be restored as near as practicable to its original condition.
5. All disturbed areas will be provided temporary and permanent vegetative cover as needed in order to prevent erosion and to re-establish agreed upon vegetative cover.
 - a. Establishment methods and vegetative targets for permanent cover (grasses, forbs, trees, or shrubs) that have been agreed upon by the landowner shall be utilized.
 - b. Seeding or planting shall be repeated if a satisfactory stand has not been obtained after 1 growing season.
 - c. Areas that reach final grade or are planned to be idle shall be seeded within 7 days of the most recent disturbance, or within 2 days within 50 feet of streams or water resources. Areas left idle during periods that are unsuitable for planting shall be

provided appropriate cover using mulch or erosion control matting. Areas nearing or exceeding 3:1 slopes are candidates for use of rolled erosion control products (matting) or turf reinforcement matting if they are not cropped.

- d. All disturbed areas will be seeded and mulched according to guidance provided in the ODNR Rainwater and Land Development manual or USDA NRCS Standard Codes: i) 342 – Critical Area Planting, ii) 484 – Mulching, and iii) Appendix A Seeding Tables. In all areas where permanent vegetation is re-established, the landowner will be consulted to select an appropriate weed-free seed mixture or planting stock. Mulch should be held in place using tackifier or by crimping with a straight disk or other applicable implement, in order to prevent mulch from being removed by wind or runoff.
6. Depending upon the construction schedule and the landowner's cropping plans, allowance may be made to allow the landowner to be appropriately compensated and to apply the appropriate type and amounts of fertilizer, manure, and/or lime in coordination with the landowner's farming plans. In this case, an area may require temporary seeding and or mulch if an area is left idle for an extended number of days or weeks.
 7. In Ohio, subsoil decompaction and topsoil replacement activities may have to be performed as weather permits due to the generally unsuitable weather for continuing agricultural land restoration in late autumn, winter, and early spring.

P. Backfill Profile and Trench Crowning

Material shall be used to backfill the trench in an order and manner that corresponds to the original profile, that is, substratum followed by subsoil and then topsoil. All rock not utilized as trench backfill material shall be removed from the right-of-way. The remaining backfill material shall consist of suitable subsoil material. Trench crowning shall occur during the trench backfilling operation using subsoil materials over the trench to allow for trench settling. In Ohio, this will be performed in accordance with Figure 12 below.

In areas where trench settling occurs after topsoil spreading, imported topsoil shall be used to fill each depression. Topsoil from the adjacent agricultural land shall not be used to fill the depressions. Settlement inspections shall occur at 3 months, 1 year, 2 year and 3 years after construction has finished.

In agricultural areas where the materials excavated during trenching are insufficient in quantity to meet backfill requirements, the soil of any agricultural land adjacent to the trench and construction zone shall not be used as either backfill or surface cover material. Under no circumstances shall any topsoil materials be used for pipe padding material or trench backfill. In situations where imported soil materials are employed for backfill on agricultural lands, such material shall be of similar texture and quality to the existing soils on site. Imported soils should be from similar soil types and free from noxious weeds and other pests to the extent possible.

Q. Fencing

All fencing and gates removed for the installation of the pipeline shall be replaced or installed according to the landowner's specifications. Temporary fencing shall be provided as necessary to restrict access to active work areas by livestock until there is adequate vegetative cover over the work area. All property line fencing removed shall be replaced to meet requirements as set forth in Ohio Revised Code Chapter 971.

R. Pipeline Markers

Unless specified by law, pipeline markers shall be located at roads, fence lines and edge of field boundaries where they will not be damaged or disrupt farming operations.

S. Reinforced Crossings

Unless declined by the landowner, the pipeline company shall provide at least one reinforced crossing for the purpose of logging access on woodlots that will be isolated from the rest of the parcel or from public roads by the pipeline.




Figure 12 Filled pipeline trenches shall be crowned in order to allow for appropriate settling (trench crowning).

IV. Monitoring and Remediation

a. General Monitoring and Remediation

A monitoring and remediation period shall be provided of no less than three years immediately following the full-length activation of the pipeline or the completion of initial right-of-way restoration, whichever occurs last. The pipeline company shall be responsible for the cost of the monitoring and remediation. The three-year period allows for the effects of climatic cycles such as frost action, precipitation and growing seasons to occur, from which various monitoring determinations can be made. The monitoring and remediation phase shall be used to identify any remaining impacts associated with the pipeline construction that are in need of correction and to implement the follow-up restoration.

General right-of-way conditions to be monitored include topsoil thickness, relative content of rock and large stones, trench settling, crop production, drainage and repair of severed fences, etc. The problems or concerns shall be identified through on-site monitoring of all areas along the right-of-way and through contact with the respective landowner/operator and local County Soil and Water Conservation District.

Topsoil deficiency and trench settling shall be restored with imported topsoil that is consistent with the quality of topsoil on the affected site. Excessive amounts of rock and oversized stone material shall be determined by a visual inspection of the right-of-way. Results shall be compared to portions of the same field located outside of the right-of-way. Included in the determination of relative rock and large stone content is the right-of-way's condition subsequent to tillage and the relative concentration of such materials within the right-of-way as compared to off the right-of-way. All excess rocks and large stones shall be removed and disposed of by the pipeline company.

On-site monitoring shall be conducted at least three times during the growing season and shall include a comparison of growth and yield for crops on and off the right-of-way. When the subsequent crop productivity within the affected right-of-way is less than that of the adjacent unaffected agricultural land, the landowner, in conjunction with the pipeline company as well as other appropriate organizations, shall help to determine the appropriate rehabilitation measures for the pipeline company to implement. During the various stages of the project, all affected farm operators shall be periodically apprised of the duration of remediation by the pipeline company. Because conditions that require remediation may not be noticeable at or shortly after the completion of construction, the signing of a release form prior to the end of the remediation period shall not relieve the pipeline company's responsibility to fully redress all project impacts. After completion of the specific remediation period, the pipeline company shall continue to respond to the reasonable requests of the landowner/operators to correct project related effects on the agricultural resources.

On lands subject to erosion, the pipeline company shall patrol the pipeline right-of-way with reasonable frequency to detect erosion of the top cover. Whenever the loss of cover due to erosion creates a pollution or safety issue the pipeline company shall take corrective action.

B. Specific Monitoring and Remediation

After the moisture of the soil profile on the affected right-of-way has returned to equilibrium with the adjacent off right-of-way land, subsoil compaction will be tested using an appropriate soil penetrometer or other soil compaction-measuring device. Compaction tests shall be made for each soil type identified on the affected agricultural land. The subsoil compaction test results within the right-of-way shall be compared with those of the adjacent off right-of-way portion of the affected farm field/soil unit. Where representative subsoil density on the right-of-way exceeds the representative subsoil density outside

the right-of-way, additional shattering of the soil profile shall be performed using a deep, angled-leg subsoiler tool to a depth of 16 inches. Deep shattering shall be applied during periods of relatively low soil moisture to prevent additional subsoil compaction. Oversized stone/rock material, which is lifted to the surface as a result of the deep shattering, shall be removed and disposed outside of the right-of-way. In the event that subsequent construction or cleanup activities result in new compaction, additional deep shattering shall be performed to alleviate such compaction.

For lands disturbed within or adjoined to agricultural areas where the construction alters the natural stratification of soil horizons and natural soil drainage patterns, the pipeline company shall rectify the effects with measures such as subsurface intercept drainage lines (see Figure 7, Intercept Drain Cross-Trench). Selection of the type of intercept drainage lines to be installed to prevent surface seeps and the seasonally prolonged saturation of the backfilled trench zone and adjacent areas shall be performed by a qualified person. During monitoring and follow-up remediation, drawings of the drain shall be provided to the landowner for review before the pipeline company begins the corrective action. All drain lines shall be installed according to Natural Resource Conservation Service standards and specifications.

b. Communication Access

The pipeline company shall provide all landowners/operators with a telephone number to facilitate direct contact with the pipeline company and the project's Inspector(s) through all of the stages of the project, including operation and maintenance.

V. Dispute Resolution

Unless an agreement specifically provides to the contrary, the actions specified in the pipeline standard and construction specifications shall be implemented. It is recommended that the pipeline standard and construction specifications are included or attached to easements acquired for the installation of pipelines. If there is any dispute between the landowner and the pipeline company as to the actions necessary for meeting the conditions of this standard, the appropriate county Soil and Water Conservation District or other appropriate third party opinion shall be considered by the pipeline company and the landowner.